Author Index

Abdel-Razek, A. M.	Computational and experimental investigations in a cyclone dust separator	247–257
Abdullah, M. Z.	Computational and experimental investigations in a cyclone dust separator	247–257
Andrews, J. D.	A computerized fault tree construction methodology	171–183
Beck, S. B. M.	Development of a high-temperature ceramic to metal seal	109–114
Betts, P. L.	Modelling incompressible flow in a pressure relief valve	83–93
Betts, P. L.	Pressures beneath the disc of a compensated pressure relief valve for gas/vapour service	285–289
Biffin, M.	Velocity measurements in a ceramic candle filter element undergoing pulse cleaning	11–16
Brown, E. R.	Detection of incipient cavitation in pumps using acoustic emission	267–277
Butt, G.	Solid/liquid separation by sedimentation	43–52
Chua, H. T.	Experimental verification of a diagnostic model for reciprocating chillers	259–265
Coates, P. D.	In-line process monitoring for injection moulding control	115–128
Correia, V.	Assessment of the colour removal capability of low-pressure dynamically formed membranes	1–10
Day, A. J.	A finite element model of the electrofusion welding of thermoplastic pipes	137–146
Djilali, N.	The fundamental principles and design considerations for the implementation of centrifugal reverse osmosis	67–81
Ewan, B. C. R.	Development of a high-temperature ceramic to metal seal	109–114
Francis, J.	Modelling incompressible flow in a pressure relief valve	83–93
Francis, J.	Pressures beneath the disc of a compensated pressure relief valve for gas/vapour service	285–289
Fraser, S. M.	Computational and experimental investigations in a cyclone dust separator	247–257
Gardner, N. J.	The behaviour of liquid films and drops in relation to liquid/gas separators	53–59
Griffiths, A. J.	Fault diagnosis of pumping machinery using artificial neural networks	185–194
Griffiths, A. J.	Local flow characteristics and its effect on cowled finned systems	95–108
Hashemizadeh, S. H.	Fracture of glass-reinforced plastic pipes of mixed wall construction under pressure loading	223–246
Henry, J. J.	A computerized fault tree construction methodology	171–183
Hitchings, A.	Submicrometre particle separation via high-speed gas centrifuges	17–29
Holdich, R. G.	Solid/liquid separation by sedimentation	43–52
Hose, D. R.	Fracture of glass-reinforced plastic pipes of mixed wall construction under pressure loading	223–246
Hull, J. B.	In-line process monitoring for injection moulding control	115–128
Ilott, P. W.	Fault diagnosis of pumping machinery using artificial neural networks	185–194
Jaworski, Z.	Sliding mesh computational fluid dynamics—a predictive tool in stirred tank design	149–156
Judd, S. J.	Assessment of the colour removal capability of low-pressure dynamically formed membranes	1–10
Kitching, R.	Fracture of glass-reinforced plastic pipes of mixed wall construction under pressure loading	223–246
Langston, P. R.	Development of a high-temperature ceramic to metal seal	109–114
Lee, C. K.	Remaining life of a vessel containing an internal corner crack under repeated thermal shock	215–219
Li, Z.	Vortex magnetic separation	31–42
Lin, S.	Local flow characteristics and its effect on cowled finned systems	95–108
Liu, S. Y.	A process for the manufacture of cold, clean, dry air at temperatures down to 173 K and its application in the forced cooling of high-pressure rubber hose prior to wire braiding	279–283
Messer, P. E.	Development of a high-temperature ceramic to metal seal	109–114
Mitchell, D.	Disc refiner analysis	157–169
Momber, A. W.	Investigations into decoating and recycling of pipeline elements using the on-site high-pressure water jet technique	129–135
Moore, I. P. T.	Sliding mesh computational fluid dynamics—a predictive tool in stirred tank design	149–156
Neill, G. D.	Detection of incipient cavitation in pumps using acoustic emission	267–277
Ng, H. W.	Remaining life of a vessel containing an internal corner crack under repeated thermal shock	215–219
Ng, K. C.	Experimental verification of a diagnostic model for reciprocating chillers	259–265

© IMechE 1997

Nienow, A. W.	Sliding mesh computational fluid dynamics—a predictive tool in stirred tank design	149–156
O'Doherty, T.	Submicrometre particle separation via high-speed gas centrifuges	17–29
Ong, A. S.	Experimental verification of a diagnostic model for reciprocating chillers	259–265
Owen, I.	The behaviour of liquid films and drops in relation to liquid/gas separators	53–59
Panagiotidis, P.	Velocity measurements in a ceramic candle filter element undergoing pulse cleaning	11–16
Peters, C.	In-line process monitoring for injection moulding control	115–128
Pitsillides, C.	Velocity measurements in a ceramic candle filter element undergoing pulse cleaning	11–16
Priestner, R.	Fracture of glass-reinforced plastic pipes of mixed wall construction under pressure loading	223–246
Qian, L.	Identification of strength parameters for a high-pressure vessel wound by fibre reinforced composite materials	209–213
Reuben, R. L.	Detection of incipient cavitation in pumps using acoustic emission	267–277
Rosala, G. F.	A finite element model of the electrofusion welding of thermoplastic pipes	137–146
Sandford, P. M.	Detection of incipient cavitation in pumps using acoustic emission	267–277
Smyth, R.	Development of a high-temperature ceramic to metal seal	109–114
Speight, R. G.	In-line process monitoring for injection moulding control	115–128
Steel, J. A.	Detection of incipient cavitation in pumps using acoustic emission	267–277
Swithenbank, J.	Development of a high-temperature ceramic to metal seal	109–114
Syred, N.	Submicrometre particle separation via high-speed gas centrifuges	17–29
Taylor, D. A. W.	Development of a high-temperature ceramic to metal seal	109–114
Thompson, G.	An experimental investigation into the detection of internal leakage of gases through valves by vibration analysis	195–207
Veasey, T. J.	An overview of metals recycling by physical separation methods	61–64
Vickers, G. W.	The fundamental principles and design considerations for the implementation of centrifugal reverse osmosis	67–81
Wang, P.	A process for the manufacture of cold, clean, dry air at temperatures down to 173 K and its application in the forced cooling of high-pressure rubber hose prior to wire braiding	279–283
Watson, J. H. P.	Vortex magnetic separation	31–42
Whalley, R.	Disc refiner analysis	157–169
Wild, P. M.	The fundamental principles and design considerations for the implementation of centrifugal reverse osmosis	67–81
Wood, A. S.	A finite element model of the electrofusion welding of thermoplastic pipes	137–146
Wyszynski, M. L.	Sliding mesh computational fluid dynamics—a predictive tool in stirred tank design	149–156
Yan, S. P.	A process for the manufacture of cold, clean, dry air at temperatures down to 173 K and its application in the forced cooling of high-pressure rubber hose prior to wire braiding	279–283
Yuan, R.	Identification of strength parameters for a high-pressure vessel wound by fibre reinforced composite materials	209–213
Zolkiewski, G.	An experimental investigation into the detection of internal leakage of gases through valves by vibration analysis	195–207

© IMechE 1997